

# AS7D99CH

# STANDARD MATERIALS AND CONSTRUCTION

**FRAME:** .081" thk. (nominal) extruded aluminum, 6063-T52/T6 alloy. **BLADE:** .081" thk. (nominal) extruded aluminum, 6063-T52/T6 alloy.

Horizontal drain blades approximately 3" on center, vertical

blades approximately 13/16" on center.

LOUVER FACE: Head and blades are contained within jambs, sill contains

iambs

SCREENS: (When indicated, in a removable frame.)

½" flattened aluminum (.051" thick),

-or- ½" sq. mesh, intermediate double-crimped aluminum

wire, .063" dia.,

-or- 18/16 mesh, .011" dia. aluminum wire, insect screen. **DRAIN PAN:** .060" thk. (nominal) formed aluminum with welded and

caulked end dams.

FINISH: Mill

#### **OPTIONS**

Finish - Baked Enamel, Kynar, Anodized

#### NOTES


- 1. ½" nominal deduction will be made to the opening size given.
- 2. Louvers larger than the maximum factory assembled size will require field assembly of smaller louver sections.
- 3. Approximate shipping weight is 10.5 lbs./sq.ft.
- 4. Maximum single panel width is 60", maximum single panel height is 96". Total single panel size cannot exceed 30 sq. ft.

#### **LOUVER SIZES**

Min Panel	Max Single Panel
12"W x 12"H	60"W x 96"H or 30 sq. ft. (See Note 4)

This louver has been tested to AMCA Standard 540 for Wind Borne Debris Impact Resistance and AMCA Standard 550 for High Velocity Wind Driven Rain.

See Page 2 for seal and listing information.



60" Max. Section Not to scale.

Drain Pan

Not to scale.

11/4"

(Typ.)

Louver Width O.D. of Drain Pan

Louver Height

(in.)

3

Varies

Nominal Deductions will be made to the opening size given.

In the interest of product development, Airline Louvers reserves the right to make changes without notice.

74.0 m. #	05.	Width	Height	Width	Height	Madian	Туре	Location		
Item #	Item # Qty		Opening Size Louver Size		r Size	Mullion	Screens			<u>Union Made</u>
Arch. /	Eng. :					EDR:		ECN:	Jo	ob:
Contr	actor:						·			
Pr	oject:					Date:		DWN:	DW	/G:

1020 Prince Frederick Blvd. Suite 305 • Prince Frederick, MD 20687 • Phone: (570) 420-7079 • Fax: (570) 420-7078



# AS7D99CH

### **PERFORMANCE DATA**


Pressure Drop: .022 in. wg at 398 fpm


Free Area: 6.78 sq.ft.( 42.4%) for 48"W x 48"H sample tested in accordance with AMCA Standard 500-L.

Beginning Point of Water Penetration: Greater than 1250 fpm

Class "A" Rating with 100% efficiency at 3 in. rain fall at intake velocity of 1559 fpm (10,571 cfm) at wind speed of 29 mph. Class "A" Rating with 100% efficiency at 8 in. rain fall at intake velocity of 1568 fpm (10,634 cfm) at wind speed of 50 mph. Testing based on 48" x 48" based on AMCA Standard 500-L.

### Ratings do not include effects of a screen.





Velocity (fpm) x 100 thru Free Area Intake air converted to standard air density. Tested to AMCA Standard 500-L, Figure 5.5.

Beginning Point of Water Penetration is above 1250 fpm

## Free Area (sq.ft.)

		Width (in.)									
		12"	18"	24"	30"	36"	42"	48"	54"	60"	
	12"	.26	.44	.62	.79	.97	1.15	1.32	1.50	1.68	
	24"	.62	1.03	1.45	1.86	2.27	2.69	3.10	3.51	3.93	
<u> </u>	36"	.99	1.64	2.30	2.96	3.61	4.27	4.93	5.59	6.24	
ıt (in.)	48"	1.36	2.26	3.17	4.07	4.98	5.88	6.78	7.69	8.59	
Height	60"	1.71	2.85	3.99	5.14	6.28	7.42	8.56	9.70	10.84	
Ī	72"	2.07	3.45	4.82	6.20	7.58	8.96	10.34	11.71	13.09	
	84"	2.42	4.04	5.65	7.27	8.88	10.50	12.11	13.73	15.34	
	96"	2.80	4.67	6.54	8.41	10.28	12.15	14.02	15.89	17.76	

\* For sizes highlighted, see Note 4 on Page 1.



HIGH VELOCITY RAIN RESISTANT WITH BLADES FULLY OPEN AND IMPACT RESISTANT LOUVER Basic Protection Level D

7 This label does no AMCA airflow perl certification

Airline Louvers certifies that the Model AS7D99CH shown herein is approved to bear the AMCA Listing Label. The ratings shown are based on tests and procedures performed in accordance with AMCA Publications and comply with the requirements of the AMCA Listing Label Program.

The AMCA Listing Label applies to High Velocity Rain Resistant and Wind Borne Debris Impact Resistant Louvers.



# AS7D99CH

Wind Driven Rainwater Penetration Test Conducted to AMCA Standard 500-L.

Test size 1m x 1m (39.7" x 39.7") core area, 43.25" x 45.375" nominal. Louver Free Area 6.78 square feet.

Core Ventilation (m/s)	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	Rain Fall / MPH
FPM	-	-	-	-	-	-	-	-	-	-	982	
Free Area Ventilation (cfm)	-	-	-	-	-	-	-	-	-	-	10,571	3 in. / hr. rain fall
Free Area Velocity (fpm)	-	-	-	-	-	-	-	-	-	-	1,559	and
Effective Rating Class	Α	Α	Α	Α	Α	Α	Α	Α	А	Α	Α	29 mph Velocity
Effectiveness Ratio (%)	-	-	-	-	-	-	-	-	-	-	100	Velocity
FPM	-	-	-	-	-	-	-	-	-	-	988	
Free Area Ventilation (cfm)	-	-	-	-	-	-	-	-	-	-	10,634	8 in. / hr. rain fall
Free Area Velocity (fpm)	-	-	-	-	-	-	-	-	-	-	1,568	and
Effective Rating Class	Α	Α	Α	Α	Α	А	Α	Α	А	Α	Α	50 mph Velocity
Effectiveness Ratio (%)	-	-	-	-	-	-	-	-	-	-	100	VOISORY

#### Wind Driven Rain Penetration Classifications

Class	Effectiveness %
Α	100 to 99%
В	98.9% to 95%
С	94.9% to 80%
D	Below 80%

### **Discharge Loss Coefficient Classifications**

Class	Discharge Loss Coefficient
1	0.4 and above
2	0.3 to 0.399
3	0.2 to 0.299
4	0.199 and below

- Core area is the front opening of a louver assembly with the blades removed.
- Core area velocity is the airflow rate through the louver divided by the core area (39.37" x 39.37").
- Free area is the minimum area through which air can pass. It is determined by multiplying the sum of the minimum distance between intermediate blades, top blade and head, bottom blade and sill, by the minimum distance between jambs.
- Discharge loss coefficient is calculated by dividing a louver actual airflow rate vs. a theoretical airflow for the opening, providing an indication of the louver air flow characteristics.

Discharge Coefficient

Intake Cd= .33 (CLASS 2)

Class 1 Loss Coefficient has the least resistance to airflow.



Airline Louvers certifies that the Model AS7D99CH shown herein is licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 511 and comply with the requirements of the AMCA Certified Ratings Program. The AMCA Certified Ratings Seal applies to Air Performance, Water Penetration, and Wind Driven Rain only.