

MIAMI-DADE COUNTY, FLORIDA METRO-DADE FLAGLER BUILDING 140 WEST FLAGLER STREET, SUITE 1603 MIAMI, FLORIDA 33130-1563 (305) 375-2901 FAX (305) 375-2908

NOTICE OF ACCEPTANCE (NOA)

Arrow United Industries. 314 Riverside Drive Wyalusing PA 18853

SCOPE: This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami Dade County Product Control Division (in Miami-Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade county Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Aluminum Louvers.

APPROVAL DOCUMENT: Drawing No.35972-6, titled "EA-32 Test Louver Arch. & Non-Arch Louver." dated 06/16/00 with no revisions, prepared by Arrow United Industries, signed and sealed by W. W. Schaefer P.E., bearing the Miami-Dade County Product Control Renewal stamp with the NOA number and expiration date by the Miami-Dade County Product Control Division.

INSTALLATION: This louver is to be installed in a location where the room behind the louver is designed to drain water penetrating the room and the room will house water resistant equipment, components, supplies, etc. MISSILE IMPACT RATING: Large and Small Missile Impact Resistant.

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no

change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply

with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA renews NOA # 99-1228.02 and consists of this page 1 as well as approval document mentioned above. The submitted documentation was reviewed by Candido F. Font PE.

9/11/03

NOA No: 03-0611.01 Expiration Date: July 27, 2008 Approval Date: September 11, 2003 Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

(For File ONLY. Not part of NOA)

A. DRAWINGS.

1. Drawing prepared by Arrow United Industries titled "EA-32 Test Louver Architectural & non-Architectural Louver," Drawing No. 35972-6, dated 06/16/00 with no revisions. signed and sealed by W. W. Schaefer, PE.

B. TESTS.

1. Test report on Large Missile Impact Test, Cyclic Wind Pressure Test and Uniform Static Air Pressure Test of "AUI LE-32 Arch. & Non-Arch Fixed Louver", prepared by Hurricane Test Laboratory, Inc., report No. 0198-0515-99, dated 05/25/99 to 07/12/99, signed and sealed by V. J. Abraham, PE

C. CALCULATIONS.

- 1. Allowable Load Calculations, dated 11/10/99, pages 1 to 3 of 3, prepared by W. W. Schaefer Engineering & Consulting, PA., signed and sealed by W. W. Schaefer. PE.
- 2. Allowable Load Calculations, dated 04/14/00, pages 1 to 6 of 6, prepared by W. W. Schaefer Engineering & Consulting, PA signed and sealed by W. W. Schaefer. PE.


D. MATERIAL CERTIFICATIONS.


1. Tensile Test report on 6 inch louver, prepared by Q. C. Metallurgical, Inc., No. 9LM-2586, dated 12/27/99, signed and sealed by F. Grate PE.


E. STATEMENTS


- 1. Test compliance letter issued by Hurricane Test Laboratory, Inc. on 12/08/99, signed and sealed by V. J. Abraham, PE.
- 2. Code compliance letter issued by W. W. Schaefer Engineering & Consulting, PA. On 11/15/99, signed and sealed by W. W. Schaefer, PE.
- 3. No financial interest letter issued by 11/15/99, signed and sealed by W. W. Schaefer, PE.
- 4. No change letter issued by Arrow United Industries on 06/06/03 and signed by V. Kreglewicz


Candido F. Font PE.
Sr. Product Control Examiner
NOA No 03-0611.01
Expiration Date: July 27, 2008
Approval: Date: September 11, 2003














ALLOWABLE WIND PRESSURE VS. JAMB CLIP SPACING AND PANEL WIDTH					
PANEL WIDTH (INCHES)	CLIP SPACING (INCHES)	ALLOWABLE PRESSURE WITH MID SPAN MULLION (PSF)	ALLOWABLE PRESSURE WITHOUT MID SPAN MULLION (PSF)		
(MONES)		150	<u> </u>		
	12	150	150		
1.6	<u> </u>		150		
16	16	150	140		
	20	150	105		
***************************************	24	150	70		
20	8	150	150		
	12	150	140		
	16	150	112		
	20	150	84		
	24	150	56		
	. 8	150	140		
	. 12	150	117		
24	16	150	93		
	20	150	70		
	24	125	47		
	8	150	82		
	12	150	68		
28	16	150	54		
	20	150	41		
	24	107	27		
	8	150	62		
	12	150	52		
30	16	150	41		
	20	140	31		
	24	93	-		
	8	150			
	12	150	-		
36	16	150			
	20	125			
	24	83	-		
	8	150	-		
	12	150			
42	16	142	_		
L	20	107	<u> </u>		
	24	71	_		
	8	150			
_	12	150	-		
48	16	125	-		
	20	93	_		
	24	62	<u> </u>		
<u>_</u>	8	150			
L	12	138	**************************************		
54	16	111	-		
L	20	83			
	24	55	<u> </u>		
	8	150	-		
	12	125			
60	16	100	_		
	20	75	-		
	24	50	_		

	MATCHAL LICT					
L	MATERIAL LIST					
NO.	DESCRIPTION	NOTES/SPECIFICATIONS				
	PARTS/EXTRUSIONS					
1	SIDE JAMB FRAME/MULLION	6063-T5 ALUMINUM				
2	HEAD FRAME	6063-T5 ALUMINUM				
3	SILL FRAME	6063-T5 ALUMINUM				
4	LOUVER BLADE	6063-T5 ALUMINUM				
5	BLADE SUPPORT BRACKET (2 1/2" LONG)	6063-T5 ALUMINUM				
6	MULLION CAP	6063-T5 ALUMINUM; FULL LENGTH OF MULLION JAMBS				
7	SILL PLATE	3003/5005 ALUMINUM; FULL LENGTH OF PANEL SILL				
8	L2X2X1/4 JAMB CONNECTION ANGLE 2" LONG	6063-T5 ALUMINUM; WITHIN 4" OF JAMB ENDS & SPACED PER LOAD TABLE ON SHT. 2				
9	L2X2X1/4 OPTIONAL JAMB CONNECTION ANGLE 2" LONG	A36 STEEL; WITHIN 4" OF JAMB ENDS & SPACED PER LOAD TABLE ON SHT. 2				
10	L2X2X1/4 CONTINUOUS MULLION CONNECTION ANGLE	6063-T5 ALUMINUM; FULL LENGTH OF CHANNEL MULLION				
11	L4X3X3/8 MULLION END CONNECTION ANGLE 2 3/4" LONG	A36 STEEL; 2 PER MULLION END				
12	C5X6.7 MULLION	A36 STEEL; FULL HEIGHT OF PANELS				
13	OPEN					
14	OPEN					
15	OPEN					
Ĺ	FASTENERS					
		WITH FLAT WASHERS, LOCK WASHER & NUT; 2 PER MULLION END				
17	NO. 14 S.S. SMS SCREWS	3 PER MULLION END CLIP WITH MIN. 1 1/2" WOOD EMBED				
	5/8" X 2 1/4" SLEEVE ANCHOR WITH FLAT WASHER	USA KINGPIN ANCHOR; 1 PER CHANNEL END CONNECTION ANGLE INTO CONCRETE ONLY				
		WITH FLAT WASHERS, LOCK WASHER & NUT; 1 PER CHANNEL END CONNECTION ANGLE INTO STEEL FRAME				
	NO. 14 X 1 1/4" HILTI TEK SCREW	3 AT EACH LOUVER BLADE SUPPORT BRACKET AT ARCHITECTURAL MAIN MULLIONS				
	NO. 14 X 1 1/4" HILTI TEK SCREW	WITHIN 1 1/4" OF MULLION ENDS & MAX. 4" O.C. INTO FRAME				
	NO. 8 X 3/4" SMS	2 PER EACH LOUVER BLADE END THROUGH JAMB & INTO BLADE SPLINES				
	NO. 14 X 1 1/4" HILTI TEK SCREW	2 AT EACH LOUVER BLADE SUPPORT BRACKET AT ALL MIDSPAN MULLIONS				
	NO. 14 X 1 1/4" HILTI TEK SCREW	2 PER EACH HEAD, SILL & SIDE JAMB CONNECTION ANGLE				
	1/2" X 2" LAG SCREW WITH FLAT WASHER	1 PER EACH HEAD, SILL & SIDE JAMB CONNECTION ANGLE INTO WOOD FRAME				
	5/8" X 2 1/4" SLEEVE ANCHOR WITH FLAT WASHER	USA KINGPIN ANCHOR; 1 PER EACH HEAD, SILL & SIDE JAMB CONNECTION ANGLE INTO CONCRETE ONLY				
		WITH FLAT WASHERS, LOCK WASHER & NUT; 1 PER EA. JAMB CONNECTION ANGLE INTO STEEL FRAME				
	NO. 8 X 3/4" SMS	2 SCREWS WITHIN 4" OF SILL PLATE ENDS & MAX. 12" O.C. (SILL PLATE TO SILL JAMB AND FIRST LOUVER BLADE)				
	NO. 14 X 1 1/4" HILTI TEK SCREW	1 AT EACH MULLION ANGLE INTO HEAD & SILL JAMB				
	NO. 8 X 3/4" SMS SCREWS	2 PER FRAME SILL CORNER THROUGH SILL & INTO JAMB SPLINES				
32	3/8" X 1 7/8" SLEEVE ANCHOR WITH FLAT WASHER	RED HEAD DYNABOLT WITH MIN. 1 1/2" BLOCK/CONCRETE EMBED (1 PER FRAME SUPPORT CLIP)				

PRESSURE TABLE NOTES:

1. WHEN THE PANEL WIDTH IS 30" OR LESS, NO MID SPAN MULLION IS REQUIRED PROVIDING COMPLIANCE WITH THE TABLE.

2. ALL PRESSURES IN THIS TABLE ARE FOR BOTH POSITIVE & NEGATIVE WIND PRESSURE.

APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE

PRODUCT CONTROL DIVISION BUILDING CODE COMPLIANCE OFFICE ACCEPTANCE NO. 99-1228-02

PRODUCT RENEWED as complying with the Florida Buiding Code Building Code
Acceptance No 03-06/1.0/
Expiration Date 07/27/08

Miami Dade Product Control Division

JUN 1 6 2000 WARREN W SCHAEFER, P.E. STRUCTURAL ENGINEER P.E. No. 44135

W. W. SCHAEFER ENGINEERING & CONSULTING, P.A. STRUCTURAL CONSULTING ENGINEERS

600 SANDTREE DRIVE; SUITE 203B PALM BEACH GARDENS, FL 33403 PHONE: 561-775-4902



314 RIVERSIDE DRIVE - P.O. BOX 69 WYALUSING, PA 18853 PHONE 570-746-1888; FAX 570-746-9286

DATE DRN CK APPO

EA-32 TEST LOUVER ARCHITECTURAL & NON-ARCHITECTURAL LOUVER MATERIAL LIST & LOAD TABLE

	APPD.BY W.W.S. SHEET: 7 0	7
DRN.BY W.W.S.	DWG. NO. 35972-6	REV.
DATE 06-16-00	33972-6	