Formed Steel Louver • 6" Deep • 30° Straight Blades • Stationary • Galvanized Steel

Page 1

Standard Construction and Materials

FRAME: 18-GA. galvanized steel, channel or flanged type.

BLADE: 18-GA. galvanized steel. Blades approximately 4" on centers.

Louver Width (in.)

SCREEN: (When indicated)

½" sq. mesh, 19-GA. galvanized steel (.041").

CONSTRUCTION: Riveted and/or welded, full jambs with blades, head and sill

contained within.

Options

Frames and Blades of other gauges

Material - 304 or 316 Stainless steel, Copper, Aluminum, etc.

Finishes - Enamels, Epoxies, etc.

Screens - Insect screen 18/16 aluminum mesh,


- -or- 1/2" flattened aluminum, .051",
- -or- 1/4" sq. mesh, 18-GA galvanized steel, .047",
- -or- ½" sq. mesh, 18-GA stainless steel, .047",

Others available.

Notes

- 1. Nominal deductions will be made to the opening size given.
- 2. Approximate shipping weight is 11.0 lbs./sq.ft.

Louver Sizes





<u>ltem #</u>	<u>Oty</u>	Width	Height	Width	Height	NA. III: a.a	Туре	Location			
		Opening Size		<u>Louver Size</u>		Mullion	<u>Screens</u>				<u>Union Made</u>
Arch. / Eng.:						EDR:		ECN:		<u>Job:</u>	
<u>Contractor:</u>											
<u>Project:</u>						<u>Date:</u>		<u>DWN:</u>		<u>DWG:</u>	

In the interest of product development, Cesco Products reserves the right to make changes without notice.

