

KN Series PLUS Submittal Data Sheet

JOB NAME:	
LOCATION:	
ARCH/ENGR:	
CONTRACTOR:	
MODEL NO:	
TYPE GAS:	
BTU INPUT/OUTPUT:	
ADDITIONAL INFORMATION:	
Standard Features	Optional Equipment
• Up to 99% Efficiency	□ Propane Gas
• Full Modulation with 5:1 turndown	□ Dual Fuel□ Knocked Down Boiler
Cast Iron Heat ExchangerInsulated Stainless Steel Jacket	
 Insulated Stainless Steel Jacket Tru-Flow™ Air Fuel Coupled System 	□ Boiler Modulation 10:1□ Common Header Supply Sensor 10K
Flame Safeguard Control	2 ½" Well
UV Flame Rectification	□ 4" Well
Interrupted Spark Ignition	☐ Strap-on Sensor (10K)
• Leak Test Valves	☐ Outdoor Sensor w/Enclosure 10K
• LWCO	☐ High Gas Pressure Switch (Manual Reset)
• 7" Diagonal LCD Touch Screen Display	☐ Low Gas Pressure Switch (Manual Reset)
• Temperature Pressure Indicator	□ Keyboard Display Module
• Low Gas Pressure Switch (KN26+ - KN40+)	□ Valve Proving Switch
• High Gas Pressure Switch (KN26+ - KN40+)	☐ Freeze Protection Kit
• Flue Adapter with Analyzer Probe Hole	□ 208V 1PH (KN16+/KN20+)
Condensate Drain Manyal Boast High Limit	□ 208V/230V 3PH (KN16+/KN20+) V
Manual Reset High LimitVariable Speed Blower	□ 208V 3PH (KN26+ - KN40+)
Variable Speed BlowerFlow Switch Mounted	□ 460V 3PH (KN16+ - KN40+) □ 600V 3PH (KN16+ - KN40+)
Air Vent	☐ Flue Outlet Damper/Wiring V ☐ On/Off ☐ Mod
• Relief Valve	☐ Isolation Valve Wiring 120V Pwr Opn/Sprg Clsd
• Secondary Heat Exchanger (loose 20+ to 40+)	□ Sprg Opn/Pwr Clsd □ Pwr Opn/Pwr Clsd
	 □ BACnet ProtoCessor (MSTP)* □ BACnet ProtoCessor (IP)* □ LonWorks ProtoCessor*
• Communication Card which allows for:	□ N2 ProtoCessor*
 Boiler to Boiler Communications 	*HeatNet bridge addressing worksheet required
o Firmware Updates	
o Connections to Building Management	Can Trains
Systems using Modbus Protocol	Gas Trains □ CSD-1
 HeatNet™ Control 	□ CSD-1
• Heativet Control o Integrated Boiler Management System	□ PA Code
Communication Board	☐ KY Code
Return Header Sensor	
 Outlet Supply Sensor 	

Modbus Protocol for Building

Management System Communications