


DOMINATOR 400

Category I or Category III Appliance (see Installation and Operation Manual for venting information)



RSUB-28-E

Dominator 400 model water heater not available for sale in the U.S. market due to DOE regulations.

Notes:

Dimensions are approximate and should not be used to "rough-in" equipment. Dimensions are subject to change without notice. 1. 2.

CODE OPTIONS

CSD-1

UTC Lockout/Reset Control

Manual Reset LWCO

- 3. All dimensions are in inches (cm). 4. • Symbol indicates center of gravity.

BOILER CERTIFIED RATINGS & CAPACITIES

Fuel Type	Natural/Propane Gas	Boiler FLA	3.8*
Input BTU/hr.	399,000 / 117 kW	Min. Gas Pressure Required	7" WC**
Output BTU/hr.	335,160 / 98 kW	Max. Gas Pressure Allowed	14" WC
Electrical Requirements	120VAC/ 1 ph/ 60 hz	Operating Weight	490 lbs. / 222 kg.

BOILER / WATER HEATER TRIM & CONTROLS

Main Gas Valve	Honeywell VR8305 3/4"	Pilot Valve	Honeywell VR8205
Firing Valve	Honeywell B200T1025 3/4"	Air Switch	Cleveland RSS-495
Ignition Control	UTC 1003-61A	Blower Motor	1/5 hp - FLA 3.0
Operating Control	Tekmar BTC-2PA	Relief Valve - DW	3/4" x 3/4" set @ 125 psi
High Limit	Honeywell L4008E	Relief Valve - DB	3/4" x 3/4" set @ 50 psi
	·	Flow Switch	TACO

A.S.M.E.

Г

ASME Sect IV Htg Surface	50.0 Sq. Ft. / 4.65 Sq. M.	Design Data	Max. 160 psig & 250°F	
Water Volume	3.6 gal / 13.6 Liters			

* Add circulator amps.

** For incoming gas pressures lower than 7" WC natural or 11" WC propane, consult factory.

BOILER TEMPERATURE RISE / PRESSURE DROP

	15°F ∕ 8.3°C			20°F / 11.1°C				25°F / 13.9°C			
Flow	Rate	Pressu	re Drop	Flow	Rate	Pressu	re Drop	Flow	Rate	Pressu	re Drop
GPM	L/s	Ft	kPa	GPM	L/s	Ft	kPa	GPM	L/s	Ft	kPa
44.7	2.8	0.48	1.4	33.5	2.1	0.28	0.8	26.8	1.7	0.19	0.5

WATER HEATER HOURLY RECOVERY CAPACITY (GPH & LPH)

40°F	22°C	60°F	33°C	80°F	44°C	100°F	56°C	120°F	67°C	140°F	78°C
958	3621	639	2414	720	2723	383	1448	319	1207	274	1035

Dominator 400 model water heater not available for sale in the U.S. market due to DOE regulations. Dominator 400 model water heater not available for sale in Canada.

REP FIRM	
SUBMITTED BY	
JOB NAME	
ARCHITECT	
ENGINEER	
DATE	
DAIE	



Category I or Category III Appliance (see Installation and Operation Manual for venting information)



A Division of Mestek, Inc. Westfield, MA 01085 (413) 564-5515