
DOMINATOR 900

Category I or Category III Appliance

(see Installation and Operation Manual for venting information)

CODE OPTIONS

UTC Lockout/Reset Control CSD-1 Manual Reset LWCO



RSUB-31-E

Dominator 900 model water heater not available for sale in Canada due to NRCan Regulations.

- Notes:

 1. Dimensions are approximate and should not be used to "rough-in" equipment.

 1. Dimensions are approximate and should not be used to "rough-in" equipment.
- Dimensions are subject to change without notice.
- 3. All dimensions are in inches (cm).
 4. Symbol indicates center of gravity.

BOILER CERTIFIED RATINGS & CAPACITIES

Fuel Type	Natural/Propane Gas	Boiler FLA	5.9*
Input BTU/hr.	900,000 / 264 kW	Min. Gas Pressure Required	7" WC**
Output BTU/hr.	756,000 / 222 kW	Max. Gas Pressure Allowed	14" WC
Electrical Requirements	120VAC/ 1 ph/ 60 hz	Operating Weight	664 lbs. / 301 kg.

BOILER / WATER HEATER TRIM & CONTROLS

Main Gas Valve	Honeywell V8944 1"	Pilot Valve	Honeywell VR8205
Firing Valve	Honeywell B200T1033 1"	Air Switch	Cleveland RSS-495
Safety Valve	ASCO L8214G 1"	Blower Motor	1/4 hp - FLA 5.1
Ignition Control	UTC 1003-61A	Relief Valve - DW	3/4" x 3/4" set @ 125 psi
Operating Control	Tekmar BTC-2PA	Relief Valve - DB	3/4" x 3/4" set @ 50 psi
High Limit	Honeywell L4008E	Flow Switch	TACO

A.S.M.E.

ASME Sect IV Htg Surface	90.0 Sq. Ft. / 8.36 Sq. M.	Design Data	Max. 160 psig & 250°F		
Water Volume	4.1 gal / 15.4 Liters				

^{*} Add circulator amps.

BOILER TEMPERATURE RISE / PRESSURE DROP

	20°F /	11.1°C		25°F / 13.9℃				30°F / 16.7°C				35°F / 19.4°C			
Flow	Rate	Pressur	re Drop	Flow Rate		Pressure Drop		Flow Rate		Pressure Drop		Flow Rate		Pressure Drop	
GPM	L/s	Ft	kPa	GPM	L/s	Ft	kPa	GPM	L/s	Ft	kPa	GPM	L/s	Ft	kPa
75.6	4.8	2.20	6.5	60.5	3.8	1.46	4.3	50.4	3.2	1.04	3.1	43.2	2.7	0.78	2.3

WATER HEATER HOURLY RECOVERY CAPACITY (GPH & LPH)

40°F	22°C	60°F	33℃	80°F	44°C	100°F	56°C	120°F	67°C	140°F	78°C
2242	8474	1495	5650	1121	4237	897	3390	747	2825	641	2421

Dominator 900 model water heater not available for sale in Canada due to NRCan Regulations.

REP FIRM	
SUBMITTED BY	
JOB NAME	
ARCHITECT	
ENGINEER	
CONTRACTOR	
DATE	

DOMINATOR 900

Category I or Category III Appliance

(see Installation and Operation Manual for venting information)



A Division of Mestek, Inc. Westfield, MA 01085 (413) 564-5515

^{**} For incoming gas pressures lower than 7"WC natural or 11"WC propane, consult factory.