

CUSTOM APPLICATIONS AND SPECIAL ENCLOSURES



CUSTOM APPLICATIONS AND SPECIAL ENCLOSURES

Sterling, the leader in the industry with the most diverse and complete line of finned tube products, is also the best choice for custom finned tube applications. With its top-notch engineering staff and experienced customer service support, Sterling is the number one choice of architects, building owners and design engineers across North America.

The following is just a small sample of Sterling's custom enclosures over the last 70 years. Contact Sterling today for help with your special applications – limited only by your imagination.





260 North Elm St., Westfield, MA 01089

Tel: (413) 564-5535 Fax: (413) 562-8437

www.sterlingheat.com

CONTENTS

Custom Induction Unit Cabinet 78020A

Custom JV-RS11 8" Depth C33 83229C

Custom Radiator Cover Typical Bay Installation ISO 64988B

DVDB 7 1/2" To-Floor Louvered Inlet R02 85682A

DVDB R02 81331

JV-14 6" Depth To-Floor Louvered Inlet Removable Front C3/4-434 81063C

JV-ARFT Extruded Aluminum Grille Inlet 24 ½"Height 6" Depth C3/4-435 3-Tier with Sill Extension 85856C

JV-ARS PM 5 ½" Depth C44 80911B

JVB-2PM C3/4-434 with Adjustable Bracket 85912

JVB-2PM18 To-Wall Louvered Inlet C3/4-434 with Adjustable Element Support Knee-Wall Mounted 86900E

JVB-ARPM12 C45 2-Tier 88669

JVB-RS35 10" Depth x 35" Height C3/4-435 2-Wide 4-High 64236A

Notched Wall Sleeve to Clear Square Column 80698C

Slip Jointed Accessory Halves for Round Column 67512

Slip Jointed Accessory Halves for Square Column 83122A

Underlapping Enclosure Supports Column Mounted 85136B

VB-AR10 To-Floor Extruded Aluminum Grille Inlet 7 ½" Depth Mullion Mount ISO 78274D

V-T 21 ¾" Height x 20 ½" Depth Cabinet with Removable Front 90505

JVB-T14 Curved Installation Plan View C144 78839B


JVA-S11 Segmented Curve Plan View 83231

JVB-PM Outside Radius Curve Installation Plan View 85493A

Trough 20" Depth 20" Width C435 2-Wide 2-High 90184

Trough 12" Depth 13" Width C43 with Return Opposite Side 86167

Raised Floor Trough 14" Depth 10" Width C3/4-35 with Adjustable Base Assembly 83816



- 1. UNLESS OTHERWISE SPECIFIED FASTENERS ARE BY OTHERS.
- 2. DISTANCE BETWEEN INDUCTION UNIT AND BOTTOM OF GRILLE CAN BE REDUCED TO 1" BY INSTALLING HANGING STRIP PRIOR TO INSTALLING INDUCTION UNIT.
- 3. DRILL & SECURE WALL SLEEVES TO FLOOR ANGLE. DRILL & SECURE TOP ASS'Y TO WALL SLEEVES.

| | 9 | FMTBY UNIT | - | AS SPECIFIED |
|----|-----|---------------------------|-------------|--------------|
| (| 8 | RH WALL SLEEVE SUPPORT | - | 14 GA CRS |
| (| 7 | LH WALL SLEEVE SUPPORT | - | 14 GA CRS |
| (| 6 | RH WALL SLEEVE | - | 14 GA CRS |
| (| 5 | LH WALL SLEEVE | - | 14 GA CRS |
| (| 4) | ACCESS PANEL ASS'Y | - | 14 GA CRS |
| (| 3 | HANGER STRIP x 76" | - | 16 GA CRS |
| (| (N | FLOOR ANGLE 1" × 1" × 76" | - | 14 GA CRS |
| (| 1 | ENCLOSURE TOP ASS'Y | - | 14 GA CRS |
| I٦ | ГЕМ | DESCRIPTION | DWG. NUMBER | MATERIAL |
| | | HYDRONIC HEATING | PRODUCTS | |

HYDRONIC HEATING PRODUCTS


260 North Elm St. Westfield, Mass. 01085
DIVISION OF MESTEK, INC.

A N/A CHANGED DEPTH. 8 3/16 WAS 11' 4 9/16 WAS 4 5/8, 3 5/8 WAS 6 7/16.

LET. ECN NO. REVISION DATE BY APVD.

TITLE CUSTOM ENCLOSURE DWG. NO. REV.
INSTALLATION 78020 A

| THIS | PR | INT | AND | ALL | INF | | ATIO | 11 |
|------|--------|------|---------|--------------|-------|--------|---------|----|
| APPE | ARIN | G TH | HERED | N IS | THE | PRO | PERT | ١ |
| OF N | 1ESTE | EK I | NC. N | IEITH | IER 1 | HE | PRIN | ľ |
| NOR | THE | INF | DRMA | TION | THE | REDI | N MA | ١ |
| BE F | REPR | DDU | JCED | ΠR | USE: | D IN | I AN | ľ |
| MANN | VER ' | WHA | TSDE | VER | ΠR | DIV | JLGE | 1 |
| TO . | ANY | | HER | PER | SON | UN | LES | < |
| CDEC | TETEAL | I V | ALITLID | DIZED | DV I | ALC TI | TIV TAI | c |



- 1. ENCLOSURE IS SLIP JOINTED.
- 2. UNLESS OTHERWISE SPECIFIED FASTENERS ARE BY OTHERS.
- (a) 3. 2ND AND 3RD FLOOR

| (5) | ENCLOSURE ASS'Y | © 83520 | 16 GA CRS |
|------|---------------------|------------|--------------|
| 4 | ELEMENT - SEE BELOW | 23261 | CU/ALUM |
| 3 | CRADLE #2 | 8740 | 18 GA GALV |
| @ | BRACKET ASS'Y | ® 83255 | AS SPECIFIED |
| 1 | HANGER STRIP | 48613 | 16 GA CRS |
| ITEM | DESCRIPTION | DWG NUMBER | MATERIAL |
| | Sterlina Hydronic | Products | 7 |

260 North Elm Street Westfield, MA 01085
DATE 4/8/14 JOB NAME:


DATE 4/8/14 JOB NAME:

BEENEN FT-2

| С | N/A | ADDED DETAILS | 5/7/14 | SFL | | DF B1 |
|-----|--------|---|---------|-----|-------------|----------|
| В | N/A | ADDED ITEM 2 DWG NUMBER | 4/10/14 | SFL | RJP | Ci B1 |
| A | N/A | CHANGED INLET HEIGHT, 4" WAS 7", 15" WAS 18", 7 1/2 WAS 10 9/16, 4 13/16 WAS 4 3/16, 7 5 16 WAS 10 5/16 | 4/10/14 | SFL | RJP | T |
| LET | ECN NO | REVISI□N | DATE | BY | AP∨D | |

| | BY | MUG | | | | | | | | |
|------|------------|-------|----------|-----|-----|---|-----|-----|---------------------|------|
| JP | CKD BY: | SFL | ELEMENT: | | СЗ | 3 | | | 1" COPPER TO | JBE |
| JP | SCALE: | 1=1.5 | 3 | 1/4 | × | 3 | 1/4 | ALI | JMINUM FIN .020 32. | /FT |
| | TITLE | INST | ALLAT | ION | | | | | DWG ND: | REV |
| 1 /D | | CLIC | TIM IN | /_D | C11 | | oπ | | 83229 | L C. |

| THIS PRINT AND ALL INFORMATION |
|--|
| APPEARING THEREON IS THE PROPERTY |
| OF MESTEK INC. NEITHER THE PRINT |
| NOR THE INFORMATION THEREON MAY |
| BE REPRODUCED OR USED IN ANY |
| MANNER WHATSDEVER OR DIVULGED |
| TO ANY OTHER PERSON UNLESS |
| SPECIFICALLY AUTHORIZED BY MESTEK INC. |



THIS PRINT AND ALL INFORMATION APPEARING THEREON IS THE PROPERTY OF THE STERLING RADIATOR DIVISION OF MESTER INC. NEITHER THE PRINT NOR THE INFORMATION THEREON MAY BE REPREDUCED OR USED IN ANY MANNER WHATSIEVER OR DIVULGED TO ANY OTHER PERSON UNLESS SPECIFICALLY AUTHORIZED BY MESTEK INC.

B N/A ITEM-2 & 4 CHANGED PICTORIALLY 8/31/04 SL SCALE 1=2 NUL SPECIFIA
A N/A 6 1/2 WAS 6', ADDED ALL DETAILS 6/7/04 SL RJP TITLE CUSTOM ENCLOSURE
LET. ECN NO. REVISION DATE BY APVD. INSTALLATION

U.S. CUSTOMS-PORT NEWARK, NJ
ELEMENT
NOT SPECIFIED


CUSTOM ENCLOSURE SRP-64988 B

STL

RJP

ACCESSORIES: (OVERLAPPING)

85682



TYPE B

NOTES:

- 1. ITEM 1 BASE/BACKPLATE IS SLIP JOINTED.
- 2. UNLESS OTHERWISE SPECIFIED FASTENERS ARE BY OTHERS.
- 3. DESIGN IS NOT RECOMMENDED BY STERLING.

| (5) | ENCLOSURE ASS'Y | 73369 | EXT ALU | | | | |
|----------------------------|--------------------------|------------|-----------|--|--|--|--|
| 4 | ELEMENT - SEE BELOW | 49259 | CU/ALU | | | | |
| 3 | CRADLE #1 | 8739 | 18 GA GAL | | | | |
| @ | ZEE BRACKET ASS'Y | 71446-048 | 14 GA CRS | | | | |
| 0 | BASE/BACKPLATE ASS'Y (A) | 85947 | 12 GA ALU | | | | |
| ITEM | DESCRIPTION | DWG NUMBER | MATERIAL | | | | |
| Sterling Hydronic Products | | | | | | | |

260 North Elm Street Division of /30/15 JDB NAME: DATE: 1/30/15 Rutgers RJP CKD SFL BY: 1=1 R02 3/4 COPPER TUBE


N/A ADDED REQUESTED DETAILS 3/9/15 RJP LET ECN NO REVISI□N DATE BY APVD

DWG ND: INSTALLATION DVDB-7 1/2 TF 85682

2 3/4 x 2 1/2 ALUMINUM FIN .010 60/FT

REV

THIS PRINT AND ALL INFORMATION
APPEARING THEREON IS THE PROPERTY
OF MESTEK INC. NEITHER THE PRINT
NOR THE INFORMATION THEREON MANY
BE REPRODUCED OR USED IN ANY
MANNER WHATSDEVER OR DIVULGED
TID ANY OTHER PERSON UNLESS
SPECIFICALLY AUTHORIZED BY MESTEK INC.



- 1. UNLESS OTHERWISE SPECIFIED FASTENERS ARE BY OTHERS.
- 2. STANDARD LENGTHS 73369 SPECIAL LENGTHS 79172

| 6 | CRADLE #1 | 8739 | 18 GA GALV |
|------|-----------------------|-------------|--------------|
| (3) | 3/4 x 3/4 FLOOR ANGLE | 47065 | 16 GA GALV |
| 4 | B-610 HANGER STRIP | 12930 | 18 GA GALV |
| 3 | ZEE BRACKET ASS'Y | 71446-25 | 14 GA GALV |
| @ | ENCLOSURE ASS'Y | SEE NOTE-2 | ALUMINUM |
| 1 | ELEMENT - SEE BELOW | 49259 | AS SPECIFIED |
| ITEM | DESCRIPTION | DWG. NUMBER | MATERIAL |
| | | | |

Sterling Hydronic Products

260 North Elm St. Westfield, Mass. 01085


DIVISION OF MESTEK, INC.

DATE 6/19/13 JUB NAME
Rutgers Food & Nutrition

STALE 1-11 2 3/4 × 2 1/2 ALIMINIUM FIN .010 60/FT

THIS PRINT AND ALL INFORMATION APPEARING THEREON IS THE PROPERTY OF MESTEK INC. NEITHER THE PRINT NOR THE INFORMATION THEREON MAY BE REPRODUCED OR USED IN ANY MANNER WHATSIEVER OR DIVULGED TO ANY OTHER PERSON UNLESS SPECIFICALLY AUTHORIZED BY MESTEK INC.

| | | | | | | | JOHNEL | 1=1 | 23/4 X 2 1/2 F | LUMINUM FIN .UIU | 50/11 |
|--|------|---------|----------|------|----|-------|--------|-----|----------------|------------------|-------|
| | - | - | - | - | - | - | TITLE | IN | ISTALLATION | DWG. ND. | RE√. |
| | LET. | ECN ND. | REVISION | DATE | BY | AP∨D. | | D١ | ∨DB | 81331 | |




- 1. ENCLOSURE IS SLIP JOINTED. @
- 2. UNLESS OTHERWISE SPECIFIED FASTENERS ARE BY OTHERS.
- 3. ITEM-1 TO HAVE REGTANGULAR OPENINGS IN TOP AS SPECIFIED FOR BAR GRILLES BY OTHERS.

| B | 7 | PIPE HANGER ASS'Y | 36933 | 1/8 | GAL∨ | | | | |
|--------------|----------------------------|---|------------|-------|-------|--|--|--|--|
| _ | 6 | ENCLOSURE ASS'Y | - | 14 G | A CRS | | | | |
| | 5 | ELEMENT - SEE BELOW | 21859 | CU/ | ALUM | | | | |
| | 4 | CRADLE #2 | 8740 | 18 GA | GALV | | | | |
| | 3 | WALL HANGER ASS'Y | 30760 | 14 GA | GALV | | | | |
| lacktriangle | ② | FLOOR ANGLE ASS'Y | - | 16 G | A CRS | | | | |
| | 0 | FULL BACKPLATE ASS'Y | © 83016 | 14 G | A CRS | | | | |
| | ITEM | DESCRIPTION | DWG NUMBER | MATE | ERIAL | | | | |
| | Sterling Hydronic Products | | | | | | | | |
| | | 260 North Elm Street Westfield, MA 01085 Division of Mestek, Inc. | | | | | | | |

| | | | | | | | | DIVISION OF MESIER, INC. | | |
|---|-----|--------|---|---------|------|------|---------------|--------------------------|--------------------|------|
| Γ | _ | N/A | JV-14 WAS V-15, 14" WAS 15", 9 1/4 WAS 10 1/4, 9 3/8 WAS | 2/20/14 | D ID | | DATE: 5/24/1: | JOB NAME: | South Quad | |
| | ا | N/A | 10 3/8, ADDED ITEM 1 DWG NUMBER | 2/20/14 | KJF | | BY: RJP | | South wada | |
| [| В | N/A | RAISED ELEMENT AND ADDED ITEM-7 | 1/8/14 | RJP | SFL | CKD SFL | ELEMENT: C3/4 434 | 3/4 COPPER T | TUBE |
| | | N/A | CORRECTED NOTE-1, ITEM-2 WAS INTERNAL 14 GA FLOOR ANGLE, REVISED ACCESSORY PROFILE DIMS | 6/19/13 | RJP | SFL | SCALE: 1=2 | 4 1/4 x 3 5/8 ALU | MINUM FIN .0135 40 | |
| | ^ | | | | | SFL | TITLE, I | NSTALLATION | DWG ND: | REV |
| Γ | LET | ECN ND | RE√ISION | DATE | BY | APVD |] © J | V-14, 6D TFLI | 81063 | C |

THIS PRINT AND ALL INFORMATION APPEARING THEREON IS THE PROPERTY OF MESTER INC. NEITHER THE PRINT NOR THE INFORMATION THEREON MAY BE REPRODUCED OR USED IN ANY MANNER WHATSOEVER OR DIVULGED TO ANY OTHER PERSON UNLESS SPECIFICALLY AUTHORIZED BY MESTEK INC.



THIS PRINT AND ALL INFORMATION APPEARING THEREON IS THE PROPERTY OF MESTER INC. NEITHER THE PRINT NOR THE INFORMATION THEREON MAY BE REPREDUCED OR USED IN ANY MANNER WHATSIGEVER OR DIVULGED TO ANY OTHER PERSON UNLESS SPECIFICALLY AUTHORIZED BY MESTEK INC.

C3/4-435 N/A ADDED TABLE AND DETAILS 8/31/15 SFL SFL 3/4 COPPER TUBE SCALE: 1=2.5 3 5/8 x 4 1/4 ALUMINUM FIN .020 50/FT N/A 9 1/8 WAS 11" 7/24/15 SFL RJP В 6/9/15 MDG SFL TITLE INSTALLATION N/A 24 1/2 WAS 23 1/2, REV'D SILL 85856 DATE BY APVD JV-ARFTEI24 1/2, 6 3/8D LET ECN NO REVISI□N


ACCESSORIES: (OVERLAPPING)

3" END CAP

4" WALL SLEEVE 82198

® END CAP W/AD 83188

80911 ₩



NOTES:

THIS PRINT AND ALL INFORMATION
APPEARING THEREON IS THE PROPERTY
OF MESTEK INC. NEITHER THE PRINT
NOR THE INFORMATION THEREON MAY
BE REPRODUCED OR USED IN ANY
MANNER WHATSDEVER OR DIVULGED
TID ANY OTHER PERSON UNLESS
SPECIFICALLY AUTHORIZED BY MESTEK INC.

- 1. ENCLOSURE IS SLIP JOINTED.
- 2. UNLESS OTHERWISE SPECIFIED FASTENERS ARE BY OTHERS.

| Г | | Sterling Hydronic | Products | |
|---|------------|---------------------|------------|--------------|
| Ī | TEM | DESCRIPTION | DWG NUMBER | MATERIAL |
| Ε | \bigcirc | BRACKET ASS'Y | A 82191 | AS SPECIFIED |
| Γ | 2 | CRADLE #2 | 8740 | 18 GA GALV |
| Γ | 3 | ELEMENT - SEE BELOW | 21863 | CU/ALUM |
| | 4 | ENCLOSURE ASS'Y | A 82194 | 14 GA CRS |

Sterling Hydronic Produ
260 North Elm Street
Division of Mestek, inc.

BATE: 5/1/13
JUB NAME: Logan Airport MDG


CKD BY: SCALE: SFL

| В | N/A | ADDED END CAP W/AD ACCESSORY | 3/27/14 | RJP | |
|-----|--------|------------------------------|----------|-----|------|
| Α | N/A | ADDED DETAILS | 10/25/13 | MDG | SFL |
| LET | ECN NO | REVISI□N | DATE | BY | APVD |

| SFL | ELEMENT: C44 | 1" COPPER TO | JBE |
|-----------------------|-----------------|----------------------|-----|
| - ^{E)} 1=1.5 | 4 1/4 × 4 1/4 A | LUMINUM FIN .020 40. | /FT |
| LEI INC | TALLATION | DWG ND: | REV |
| | -ARS-PM 5 1/2D | 80911 | В |

ACCESSORIES: (OVERLAPPING)

3" END CAP 6" WALL SLEEVE 90° INSIDE CORNER 135° INSIDE CORNER 85912



NOTES:

- 1. ENCLOSURE IS SLIP JOINTED.
- 2. UNLESS OTHERWISE SPECIFIED FASTENERS ARE BY OTHERS.
- 3. FOR MOCK UP 16 GA CRS ENCLOSURE ASS'Y SEE DWG 85550.
- 4. FOR ACCESSORY SUBMITTALS SEE DWGS 85555, 85556 & 85557.
- 5. FOR OTHER BRACKET ADJUSTMENT RANGES SEE DWGS 85008, 85531 & 85911.

| 4 | ENCLOSURE ASS'Y | - | 14 GA ALUM | | | | | | |
|------|--|------------|------------|--|--|--|--|--|--|
| 3 | ELEMENT - SEE BELOW | 21859 | CU/ALUM | | | | | | |
| 2 | CRADLE #2 | 8740 | 18 GA GALV | | | | | | |
| 1 | BRACKET ASS'Y | - | AS SPEC | | | | | | |
| ITEM | | DWG NUMBER | MATERIAL | | | | | | |
| | Sterling Hydronic Products | | | | | | | | |
| 1 | 260 North Fim Street A. Westfield MA 01085 | | | | | | | | |

THIS PRINT AND ALL INFORMATION APPRARING THEREON IS THE PROPERTY OF MESTER INC. NEITHER THE PRINT NOR THE INFORMATION THEREON MAY BE REPRODUCED IN USED IN ANY MANNER WHATSIEVER OR DIVULGED TO ANY OTHER PERSON UNLESS SPECIFICALLY AUTHORIZED BY MESTEK INC.


Water Rating:

1,000 Btu/Lin Ft/Hr

65°F. Entering Air

160°F. Average Water

| SCALE | 1=1.5 | 3 5/8 × 4 1/4 ALUMINUM FIN .020 40/FT | - - - - - | TITLE: INSTALLATION | DVG ND: | REV | REV | LET | ECN NO | REVISION | DATE | BY | APVD | JVB-2PM TW | 85912 | -



- 1. ENCLOSURE IS SLIP JOINTED.
- 2. UNLESS OTHERWISE SPECIFIED FASTENERS ARE BY OTHERS.
- 3. ACCESSORIES ARE MADE TO FLOOR, TRIMMED/NOTCHED IN THE FIELD BY OTHERS TO SUIT THE JOB CONDITIONS.
- (a) 4. SEE DRAWINGS 87905 THRU 87909 FOR COLUMN WALL SLEEVES.
- ⊕ 5. SEE DRAWINGS 87910 & 87911 FOR CUSTOM 145° CORNERS.
- © 6. SEE DRAWINGS 88576 & 88577 FOR CUSTOM 148° CORNERS.

| LG | <u>5) </u> | ENCLOSURE ASS'Y | (B) 87924 | 14 G | A ALUM |
|----|------------|---------------------|------------|----------|--------|
| | 4 | ELEMENT - SEE BELOW | 21859 | CU. | /ALU |
| [; | 3 | CRADLE #2 | 8740 | 18 G | A GAL |
| | <u> </u> | BRACKET ASS'Y | B 87926 | AS | SPEC |
| | ı | FLOOR ANGLE | 15119 | ALU | MINUM |
| ΙT | EM | DESCRIPTION | DWG NUMBER | MATERIAL | |
| | | Sterling Hydronic | Products | | |

Sterling Hydronic Products
260 North Elm Street Westfield, MA 01085
Division of Mestek, Inc.


THIS PRINT AND ALL INFORMATION APPEARING THEREON IS THE PROPERTY OF MESTER INC. NEITHER THE PRINT NOR THE INFORMATION THEREON MAY BE REPREDUCED DIR USED IN ANY MANNER WHATSDEVER OR DIVULGED TO ANY OTHER PERSON UNLESS SPECIFICALLY AUTHORIZED BY MESTEK INC.

Water Rating:


1000 Btu/Lin Ft/Hr 160°F. Average Water

65°F. Entering Air

| E | N/A | ADDED NOTE 6 | 12/30/15 | MDG | | BATE 6/25/15 | DDICTOL M | EYERS - E | |
|-----|--------|-----------------------------|----------|-----|------|--------------|-------------------|--------------------|-----|
| D | N/A | ADDED 3" END CAP | 11/16/15 | MDG | SFL | DRN MDG | DKISTUL MI | LIEKS - E | |
| С | N/A | ADDED 6" WALL SLEEVE | 9/25/15 | SFL | MDG | CKD SFL | ELEMENT: C3/4-434 | 3/4 COPPER T | UBE |
| В | N/A | ADDED DETAILS | 9/18/15 | SFL | MDG | SCALE: 1=2 | 3 5/8 x 4 1/4 AL | UMINUM FIN .020 40 | /FT |
| Α | N/A | EDITED NOTE 4, ADDED NOTE 5 | 9/15/15 | SFL | MDG | TITLE: IN: | STALLATION | DWG ND: | REV |
| LET | ECN NO | REVISION | DATE | BY | APVD | J∨ | B-2PM18 TWLI | 86900 | E |



- 69988



Water Rating: 1,350 Btu/Lin Ft/Hr 160°F. Average Water 65°F. Entering Air

NOTES:

- 1. ENCLOSURE IS SLIP JOINTED.
- 2. UNLESS OTHERWISE SPECIFIED FASTENERS ARE BY OTHERS.

| | Sterling Hydronic | Products | |
|------|---------------------|------------|-----------|
| ITEM | DESCRIPTION | DWG NUMBER | MATERIAL |
| 0 | BRACKET ASS'Y | - | AS SPEC |
| 2 | CRADLE #2 | 8740 | 18 GA GAL |
| 3 | ELEMENT - SEE BELOW | 21864 | CU/ALU |
| 4 | ENCLOSURE ASS'Y | - | 16 GA CRS |


Sterling Hydronic Products
260 North Elm Street
Division of Mestfeld, MA 01085

DATE: 1/12/16 JOB NAME:

| Round Lake CUSD #116 | Round #116

THIS PRINT AND ALL INFORMATION
APPEARING THEREON IS THE PROPERTY
OF MESTEK INC. NEITHER THE PRINT
NOR THE INFORMATION THEREON MANY
BE REPRODUCED OR USED IN ANY
MANNER WHATSDEVER OR DIVULGED
TID ANY OTHER PERSON UNLESS
SPECIFICALLY AUTHORIZED BY MESTEK INC.

- - - TITLE INSTALLATION DATE BY APVD JVB-ARPM12 88669



1. ENCLOSURE IS SLIP JOINTED

| | THOUSENERS DI BILLENS | | |
|----------|-----------------------|-------------|----------------------------|
| 5 | CRADLE NO. 2 | SRP-8740 | 18 GA .048 GALVANNEALED |
| (| WALL HANGER ASS'Y. | SRP-64305 | AS SPECIFIED |
| <u>(</u> | FULL BACKPLATE (A) | SRP-64308 | 20 GA .036 GALVANNEALED |
| ® | ENCLOSURE ASS'Y. | SRP-64309 | 16 GA CRS |
| 1 | ELEMENT - SEE BELOW | SRP-21860 | AS SPECIFIED |
| ITEM | DESCRIPTION | DWG. NUMBER | MATERIAL |
| | | | |

260 North Elm St. Westfield, Mass. 01085 DIVISION OF MESTEK, INC. DATE 10/22/03 JUB NAME MAHAIWE PERFORMING ARTS STL C3/4 435 CKD. BY

RJP


THIS PRINT AND ALL INFORMATION APPEARING THEREIN IS THE PROPERTY OF THE STERLING RADIATOR DIVISION OF MESTEK INC. NEITHER THE PRINT NOR THE INFORMATION THEREIN MAY BE REPRODUCED IN USED IN ANY MANNER WHATSIEVER OR DIVULGED TO ANY OTHER PERSON UNLESS SPECIFICALLY AUTHORIZED BY MESTEK INC.


TITLE N/A ADDED ALL DETAILS 11/11/03 RJP LET. ECN NO. REVISION DATE BY APVD.


SCALE 1=3 DWG. NO. REV. INSTALLATION SRP-64236 JVB-S35 RW LI

4 $1/4 \times 3$ 5/8 ALUMINUM FIN .020 50/FT.

Ø3/4 COPPER TUBE








- 1. NOTCHED WALL SLEEVES ARE SLIP JOINTED.
- 2. SEE DRAWING 83109 FOR SEGMENTED CURVE LAYOUT & DRAWING 81054 FOR ENCLOSURE SECTION VIEW.

| | হ্যা | RH W | /ALL | SLEE | VE | SZA | Y | | <u>(A)</u> | 831 | .55 | | 18 | GΑ | CRS |
|---|------------------|----------------|------|-------|-----|------------|-----|----|------------|-------|-----|-----|------------|-----|------|
| \Box | D | LH W | /ALL | SLEE | EVE | SZA | Y′ | | <u>(A)</u> | 831 | .54 | | 18 | GΑ | CRS |
| ĪΤ | EM | | | ESCR: | | | | | | GΝ | | | MA. | TEF | RIAL |
| Sterling Hydronic Products 260 North Elm Street Westfield, MA 01085 Division of Westek, Inc. | | | | | | | | | C | | | | | | |
| DR BY | in | 3/12/14 MDG | | NAME | | | ?r | | | | В | uil | din | 9 | D |
| CK BY SC | D 'i 'ALE: | SFL 1=3 | ELE | MENT: | | C44 × 4 | 1/4 | AL | UMI | NUM | | | PER 120 | | |
| TI | TLE | , CULT | IMN | WALI | 12 | FFV | 'F | | DW | 3 NO: | 1 | | | | RE |

| THIS PRINT AND ALL INFORMATION |
|---|
| APPEARING THEREON IS THE PROPERTY |
| OF MESTEK INC. NEITHER THE PRINT |
| NOR THE INFORMATION THEREON MAY |
| BE REPRODUCED OR USED IN ANY |
| MANNER WHATSDEVER OR DIVULGED |
| TO ANY OTHER PERSON UNLESS |
| CDECTETCALLY ALITHIDITED BY MESTEV INC. |


A N/A REVISED CLEARANCES PER REP SKETCH 3/20/14 RJP TITLE: COLUMN WALL SLEEVE DVG NO: REVISION DATE BY APVD SUBMITTAL JV-T10, 10D TFLI 83122 A



LET ECN NO

NOTES:

- 1. FOR INSTALLATION VIEWS SEE DWG 85135.
- 2. END MULLION SUPPORTS UNDERLAP THE OPEN ENDS ON RH/LH END MULLIONS.



REVISION

| THIS PRINT AND ALL INF | ORMATION |
|---|--------------------------------|
| APPEARING THEREON IS THE | PROPERTY |
| DF MESTEK INC. NEITHER T | HE PRINT |
| NOR THE INFORMATION THE | REON MAY |
| | |
| | |
| | |
| SPECIFICALLY AUTHORIZED BY N | ESTEK INC. |
| NOR THE INFORMATION THE BE REPRODUCED OR USE! MANNER WHATSDEVER OR TO ANY OTHER PERSON SPECIFICALLY AUTHORIZED BY N | D IN ANY DIVULGED UNLESS |

Vulcan Hydronic Products
280 North Elm Street → Westfield, MA 01085

DATE 11/20/14 | JUB NAME: | Rodino □ffice Building

BYN SFL | RODINO □ffice Building

BYN RJP | ELEMENT:
B N/A UPDATED IS□ VIEW | 12/24/14 | SFL | SCALE | 1=4


BY AP∨D

DATE

LV-T-5 5/8, 6D

85136

В





1. SEE 78273 FOR SECTION VIEW.


2. UNLESS OTHERWISE SPECIFIED FASTENERS ARE BY OTHERS.


| HYDRONIC HEATING PRODUCTS 260 North Elm St. Westfield, Moss. 01085 DIVISION OF MESTEK, INC. | | | | | | | С | | | | | |
|---|------|---------|-------------------------------|---------|-----|-------|------------|---------|---------|-----------------|---------------|------|
| | | | | | | | | 1/24/12 | JOB NAM | E John Honki | ns UTL Proje | sc+ |
| | D | N/A | REVISED LINER & NOTCHED COVER | 8/29/12 | MDG | | DRN. BY | RJP | | John Hopki | 113 012 11030 | |
| | С | N/A | DEPTH WAS 7 3/4 | 6/7/12 | SFL | RJP | CKD. By | SFL | ELEMENT | | | |
| | В | N/A | REDESIGNED GUSSET | 6/5/12 | SFL | RJP | SCALE | 1=8 | | | | |
| | Α | N/A | ADDED LINER ASS'Y | 4/3/12 | MDG | RJP | TITLE | ISD | METRI | C VIEWS | DWG. ND. | REV. |
| | LET. | ECN NO. | REVISION | DATE | BY | APVD. | 1 | AR1 | 0 7 1 | /4D TFEI © | 78274 | D |


THIS PRINT AND ALL INFORMATION APPEARING THEREON IS THE PROPERTY OF MESTER KINC. NEITHER THE PRINT NOR THE INFORMATION THEREON MAY BE REPRODUCED IN USED IN ANY MANNER WHATSIEVER OR DIVULGED TO ANY OTHER PERSON UNLESS SPECIFICALLY AUTHORIZED BY MESTEK INC.











Water Rating: 2150 Btu/Lin Ft/Hr 170°F. Average Water 65°F. Entering Air

NOTE:

LET ECN NO

1. UNLESS OTHERWISE SPECIFIED FASTENERS ARE BY OTHERS.

REVISION

| | (| LINER | - | 16 G/ | 4 GAL | | |
|---|----------|--|---------------------|-----------|-------|--|--|
| | 3 | ELEMENT - SEE BELOW | 21862 | CU/ALU | | | |
| | 2 | CRADLE ASS'Y #2 | 8740 | 18 GA GAL | | | |
| | 1 | BRACKET ASS'Y | - | 1/8 CRS | | | |
| | ITEM | DESCRIPTION | DWG NUMBER | MATE | RIAL | | |
| Sterling Hydronic Products 260 North Elm Street Westfield, Ma 01085 | | | | | | | |
| | | 260 North Elm Street Westfield Division of Mestek, | I, Ma 01085 Inc. | | | | |
| | DATE. | ICD NAME. | | | | | |


90184

90184

ATE: 6/22/16 Harvard Smith TR-F MDG CKD -BY: 1=1.5 ENT: C435 1' COPPER TUBE 3 5/8 x 4 1/4 ALUMINUM FIN .020 50/FT INSTALLATION TROUGH

DATE BY APVD

THIS PRINT AND ALL INFORMATION APPEARING THEREON IS THE PROPERTY OF MESTER KINC. NEITHER THE PRINT NOR THE INFORMATION THEREON MAY BE REPRODUCED IN USED IN ANY MANNER WHATSIEVER OR DIVULGED TO ANY OTHER PERSON UNLESS SPECIFICALLY AUTHORIZED BY MESTEK INC.




- 1. UNLESS OTHERWISE SPECIFIED FASTENERS ARE BY OTHERS.
- 2. 1" COPPER RETURN PIPE SHOWN IS BY OTHERS.

| 6 | BAFFLE | 66519-016 | 20 GA GAL | | | | |
|----------------------------|--------------------------|------------|--------------------|--|--|--|--|
| 5 | ELEMENT - SEE BELOW | - | CU/ALU | | | | |
| 4 | CRADLE #2 | 8740 | 18 GA GAL | | | | |
| 3 | NUT & BOLT 5-16-18 x 3/4 | 55N&B | STEEL | | | | |
| @ | ELEMENT SUPPORT ASS'Y | 57601 | AS SPEC 1/8 CRS | | | | |
| ⊕ | BRACKET | 86182 | | | | | |
| ITEM | | DWG NUMBER | MATERIAL | | | | |
| Sterling Hydronic Products | | | | | | | |

| 260 North Elm Street Westfield, MA 01085 Division of Mestek, Inc. | | | | | | |
|---|--------|-----------|------|------------|-----------|------|
| DATE | 4/8/15 | JOB NAME: | Good | Samaritan | . Hospit | -01 |
| DRN BY: | RJP | | dood | Sanar rear | i ilospit | ,ut |
| CKD By: | - | ELEMENT: | C43 | | 1" COPPER | TUBE |
| SCALE. | | 1 | | 4 / 4 . A | ETH 000 0 | ~ |

THIS PRINT AND ALL INFORMATION APPEARING THEREON IS THE PROPERTY OF MESTER INC. NEITHER THE PRINT NOR THE INFORMATION THEREON MAY BE REPRODUCED OR USED IN ANY MANNER WHATSIEVER OR DIVULGED TO ANY OTHER PERSON UNLESS SPECIFICALLY AUTHORIZED BY MESTEK INC.

| SCALE | 1=1.5 | 4 1/4 × 4 1/4 ALUMINUM FIN .020 32/FT | - - - - - | TITLE | INSTALLATION | BVG NO | REVISION | DATE BY APVD | TROUGH | 86167 | -



- 1. UNLESS OTHERWISE SPECIFIED FASTENERS ARE BY DTHERS.

THIS PRINT AND ALL INFORMATION APPEARING THEREON IS THE PROPERTY OF MESTER KINC. NEITHER THE PRINT NOR THE INFORMATION THEREON MAY BE REPRODUCED IN USED IN ANY MANNER WHATSIEVER OR DIVULGED TO ANY OTHER PERSON UNLESS SPECIFICALLY AUTHORIZED BY MESTEK INC.

- 3. TROUGH LINER LENGTH: 5' CLOSED ENDS WITH GROMMETED THRU HOLES FOR ELEMENT TUBE.
- 4. DRILL & SECURE BAFFLE TO ELEMENT SUPPORTS IN FIELD.

© Water Rating: 405 Btu/Lin Ft/Hr 133°F. Áverage Water 65°F. Entering Air

| Starling Undrania Draduata | | | | | | | |
|----------------------------|------------------|----------------------|------|------------------|----------|--------|--|
| | ITEM DESCRIPTION | | | DWG NUMBER | MATERIAL | | |
| | 1 | TROUGH LINER ASS'Y | 9 | ⊕ © 83924 | 16 G | A CRS | |
| | 2 | CRADLE #2 | 8740 | 18 G/ | 4 GALV | | |
| | <u> </u> | ELEMENT - SEE BELOW | | ® 84915 | CU/ | 'ALUM | |
| | (| BAFFLE | | A 83928 | 20 G/ | 4 GAL∨ | |
| | <u>©</u> | ZEE BASE ASS'Y | 0 | ⊕ © 83929 | 14 G | A CRS | |
| | 6 | SPONGE RUBBER GASKET | | J37-16000 | FOAM | RUBBER | |

Sterling Hydronic Products
260 North Elm Street
Division of Westfield, MA 01085
Mestek, Inc. ATE: 6/6/14

| F | N/A | 4 1/4 ±1" WAS 3 1/4, REMOVED NOTE 2, 15" ±1" WAS 14" | 11/18/14 | RJP | | | 260 No |
|-----|--------|---|----------|-----|------------|--------------|--------|
| E | N/A | ADDED RATING | 10/29/14 | SFL | RJP | DATE: 6/ | 6/14 |
| D | N/A | ITEM 3 WAS 21858 | 10/21/14 | SFL | RJP | DRN BY: M | IDG |
| С | N/A | ADDED DETAILS | 9/18/14 | SFL | MDG | D | Ę |
| В | N/A | REV'D PER REP SKETCHES, WAS 15' DVERALL | 9/16/14 | MDG | SFL | | =1.5 |
| Α | N/A | ADDED DETAILS | 6/19/14 | SFL | RJP RJP | TITLE: | INS |
| LET | ECN NO | REVISI□N | DATE | BY | AP∨D | | TRI |

New Balance Headquarters ELEMENT: C3/4-35 3/4 COPPER TUBE 3 1/4 x 3 1/4 ALUMINUM FIN .020 50/FT REV

DWG ND: INSTALLATION 83816 TROUGH